

Application No. 10/750,402

Response dated December 2, 2005

Reply to Office Action of September 6, 2005

**Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1 – 33. (canceled)

34. (original) A disposable absorbent garment, the disposable absorbent garment comprising:

an outer layer;

an elastic inner layer, wherein the elastic inner layer has an elastic inner layer perimeter and wherein the elastic inner layer defines an opening located in an internal position to the elastic inner layer perimeter; wherein the elastic inner layer perimeter is bonded to the outer layer; and

an absorbent assembly positioned between the outer layer and the elastic inner layer, wherein the absorbent assembly includes a topsheet layer, a core layer and a barrier layer.

35. (original) The disposable absorbent garment of claim 34, wherein the outer layer has an outer layer perimeter and the elastic inner layer perimeter is bonded to the outer layer perimeter.

36. (original) The disposable absorbent garment of claim 34, wherein the outer layer is extensible.

37. (original) The disposable absorbent garment of claim 34, wherein the outer layer is elastic.



Application No. 10/750,402

Response dated December 2, 2005

Reply to Office Action of September 6, 2005

47. (original) The disposable absorbent garment of claim 34, wherein the elastic inner layer is bonded to the outer layer with a plurality of ultrasonic, adhesive or thermal bonds.

48. (original) The disposable absorbent garment of claim 34, wherein the disposable absorbent garment has a longitudinal direction wherein the outer layer has a length in the longitudinal direction, the elastic inner layer has a length in the longitudinal direction and the outer layer length is greater than the elastic inner layer length.

49. (original) The disposable absorbent garment of claim 34, wherein the disposable absorbent garment has a lateral direction wherein the outer layer has a width in the lateral direction, the elastic inner layer has a width in the lateral direction and the outer layer width is greater than the elastic inner layer width.

50. (original) The disposable absorbent garment of claim 34, wherein the disposable absorbent garment has a longitudinal direction, a lateral direction and a longitudinal side edge that includes a perimeter bonded area where the elastic inner layer is bonded to the outer layer, wherein the perimeter bonded area has a percentage of bonded area to unbonded area of from 10 to 40.

51. (original) The disposable absorbent garment of claim 34, wherein the disposable absorbent garment has a longitudinal direction and a lateral direction and wherein the absorbent assembly is attached to the outer layer along a lateral centerline of the absorbent assembly.

\* \* \* \* \*